Notice of Allowability	Application No.	Applicant(s)
	10/085,851	STEPHENSON, STANLEY W.
	Examiner	Art Unit
	George Y. Wang	2871
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in or other appropriate communication is su	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>RCE filed June 10, 20</u>	<u>004</u> .	
2. The allowed claim(s) is/are 1-6 and 13-15.		
3. \square The drawings filed on <u>10 June 2004</u> are accepted by the E	xaminer.	
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	ı No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a IENT of this application.	a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAles reason(s) why the oath or	MINER'S AMENDMENT or NOTICE OF declaration is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review s Amendment / Comment or i 84(c)) should be written on the	n the Office action of
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I 	SIT OF BIOLOGICAL MATE FOR THE DEPOSIT OF BIOI	RIAL must be submitted. Note the LOGICAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sur Paper No./N 8), 7. ☑ Examiner's A	fail Date mendment/Comment statement of Reasons for Allowance

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Lynne M. Blank on July 8, 2004.
- 3. The application has been amended as follows:
 - Cancel Withdrawn Claims 7-12 and 16.
- 1. The following is an examiner's statement of reasons for allowance: As the claims were read and interpreted in light of the specification, the prior art of record fails to specifically disclose a transaction card and a method of making a transaction card having machine readable information and a visible display comprising a card body, machine readable information on the card body, and, in particular, a flexible addressable matrix display made of pressure-insensitive polymer dispersed cholesteric liquid crystal material, and more specifically, where the material overlays a first transparent patterned conductor and is overlayed by a second conductive patterned conductors such that row conductors are interconnected to the second patterned

è

Application/Control Number: 10/085,851

Art Unit: 2871

conductors with contacts and the first patterned conductors for applying selected voltages. The closest cited prior art reference is Hasegawa (U.S. Patent No. 5,055,662). Although Hasegawa teaches a display having a polymer-dispersed cholesteric liquid crystal material (fig. 3, ref. 12) having a first planar reflective state (col. 3, lines 21-22) and a second transparent focal conic state (col. 3, lines 30-36), which is responsive to an applied voltage to display information until the voltage is removed (col. 3, lines 44-46), Hasegawa does not specifically disclose a display that is pressure-insensitive. Furthermore, the reference also does not disclose a patterned conductors, let a alone a more than one layer of patterned conductors.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Y. Wang whose telephone number is 571-272-2304. The examiner can normally be reached on M-F, 8 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 571-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/085,851

Art Unit: 2871

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gw July 8, 2004 SUPERVISORY PATENT SYMMINER TECHNOLOGY CENTER 2800